Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- [1] (Currently amended) A surface-treated steel sheet for a battery case, characterized by havingcomprising:

 a steel sheet; and a nickel-phosphorus alloy plating layer formed on its surface which will define defines the inner surface of the battery case.
- [2] (Currently amended) A surface-treated steel sheet for a battery case, according to claim 1, further comprising characterized by having a nickel plating layer formed between the steel sheet and as an under layer and a nickel-phosphorus alloy plating layer—formed as a top layer—on its surface which will define the inner surface of the battery case.
- [3] (Currently amended) A surface-treated steel sheet for a battery case according to claim 1, characterized by havingfurther comprising an iron-nickel diffusion layer formed as an under layer and a between the steel sheet and the nickel- phosphorus alloy plating layer formed as a top layer on its surface which will define the inner surface of the battery case.

- sheet for a battery case according to claim 1, characterized by havingfurther comprising an iron-nickel diffusion layer formed as an under layer, and a nickel layer formed as an intermediate layer and a between the steel sheet and the nickel-phosphorus alloy plating layer; wherein the iron-nickel diffusion layer is formed as an under layer, and the nickel layer is formed as an intermediate layer formed as a top layer on its surface which will define the inner surface of the battery case.
- [5] (Currently amended) A surface-treated steel sheet for a battery case as set forth in claim 1 any of claims $\frac{1}{2}$ to 4, wherein the nickel-phosphorus alloy plating layer has a thickness in the range of 0.1 to 2 μm .
- [6] (Currently amended) A surface-treated steel sheet for a battery case as set forth in any of claims claim 1 to 5, wherein the nickel-phosphorus alloy plating layer has a phosphorus content in the range of 1 to 12% by weight.
- [7] (Currently amended) A surface-treated steel sheet for a battery case as set forth in any of claims—claim 1 to 6, wherein the nickel-phosphorus alloy plating layer contains 5 to 70% by weight of cobalt.

- [8] (Original) A battery case characterized by having a nickel-phosphorus alloy plating layer formed on its inner surface.
- [9] (Original) A battery case characterized by having a nickel plating layer formed as an under layer and a nickel-phosphorus alloy plating layer formed as a top layer on its inner surface.
- [10] (Original) A battery case characterized by having an iron-nickel diffusion layer formed as an under layer and a nickel-phosphorus alloy plating layer formed as a top layer on its inner surface.
- [11] (Original) A battery case characterized by having an iron-nickel diffusion layer formed as an under layer, a nickel layer as an intermediate layer and a nickel-phosphorus alloy plating layer formed as a top layer on its inner surface.
- [12] (Currently amended) A battery case as set forth in any of claims claim 8 to 11, wherein the nickel-phosphorus alloy plating layer has a phosphorus content in the range of 1 to 12% by weight.
- [13] (Currently amended) A battery case as set forth in any of claims claim 8 to 12, wherein the nickel-phosphorus alloy plating layer contains 5 to 70% by weight of cobalt.

- [14] (Currently amended) A battery case as set forth in any of claims claim 8 to 13, and formed by a deep drawing, DI or DTR method.
- [15] (Currently amended) A battery characterized by employing a battery case as set forth in any of claims claim 8 to 14 and packing its interior with cathode and anode active materials.